

SCAF: Simplicial Complex Augmentation Framework for Bijective Maps

Zhongshi Jiang, New York University Scott Schaefer, Texas A&M University Daniele Panozzo, New York University


























































































































Locally Injective Maps




Results




Bijective Maps




Comparisons




Locally Injective Maps



Results




Bijective Maps





Comparisons


Bijective Condition: Local





$$det(\Delta) > 0 \quad \forall \Delta \in \mathcal{M}$$























Symmetric Dirichlet Energy




Symmetric Dirichlet Energy



Locally Injective Mappings



[CM: Shtengel et al 2017]



[LIM: Schueller et al 2013]




[SLIM: Rabinovich et al 2017]




[AKVP: Claci et al 2016]



[AQP: Kovalsky et al 2016]







Rotation Invariance Energies



[Rabinovich et al 2017]







Rotation Invariance Energies



[Rabinovich et al 2017]






Rotation Invariance Energies



[Rabinovich et al 2017]


$$X_k = \operatorname{argmin}_{\mathbf{x}} \mathfrak{P}_{[X_{k-1}]}(\mathbf{x})$$




Rotation Invariance Energies




[Rabinovich et al 2017]




Locally Injective Maps



Results




Bijective Maps



Comparisons


Bijective Condition: Global

$$\Delta_1 \cap \Delta_2 = \emptyset$$
 $\forall (\Delta_1, \Delta_2) \in \mathcal{M} \times \mathcal{M}$



Bijective Maps: Smith and Schaefer 2015

- Collision Detection on Boundary
- Local Support Energy




Scaffold: Natural Collision Detector




Scaffold: Natural Collision Detector




Scaffold Pipelineng et al




Scaffold Pipelineng et al



[Tutte 1963]




Scaffold Pipelineng et al




[Tutte 1963]


Build Scaffold





Scaffold Pipeling et al




- Tutte Embeddingutte 1963]
- Build Scaffold
- Valid Interior Deformation






































More Progressiv Güller et al 2015]




More Progressiv Büller et al 2015]




More Progressiv@üller et al 2015]

Start from Identity


Deform Arbitrarily







More Progressiv@üller et al

- Deform Arbitrarily
- Bounce Back










More Progressiv@üller et al

- Deform Arbitrarily
- Bounce Back










More Progressiv@üller et al


- Deform Arbitrarily
- Bounce Back









Scaffold




Scaffold Helps



Scaffold Helps




SCAF Helps



SCAF: Simplicial Complex Augmentation Framework for Bijective Maps

- Previous
 - Local Knowledge
 - Collision Detection



SCAF: Simplicial Complex Augmentation Framework for Bijective Maps

- Scaffold Optimization
 - Global Knowledge
 - Collision Resolution


- Scaffold Optimization
 - Global Knowledge
 - Collision Resolution

- Scaffold Optimization
 - Global Knowledge
 - Collision Resolution


- Scaffold Optimization
 - Global Knowledge
 - Collision Resolution

- Scaffold Optimization
 - Global Knowledge
 - Collision Resolution

- Scaffold Optimization
 - Global Knowledge
 - Collision Resolution




- Scaffold Optimization
 - Global Knowledge
 - Collision Resolution




$$E_{\mathcal{M}}$$

- Scaffold Optimization
 - Global Knowledge
 - Collision Resolution




$$E = E_{\mathcal{M}} + E_{\mathcal{S}}$$


- Scaffold Optimization
 - Global Knowledge
 - Collision Resolution




$$E_{\mathcal{M}}(X)$$
 coordinates




$$E_{\mathcal{M}}(X)$$
 coordinates




$$E_{\mathcal{M}}(X) + E_{\mathcal{S}^*}(X)$$
 coordinates



$$X^* = \operatorname{argmin}_X E_{\mathcal{M}}(X) + E_{\mathcal{S}^*}(X)$$




$$\min_{X_k} E(X_k) = E_{\mathcal{M}}(X_k) + E_{\mathcal{S}_{k-1}}(X_k) \text{ from } X_{k-1}$$




$$E = E_{\mathcal{M}} + E_{\mathcal{S}}$$

[Rabinovich et al 2017]
$$\min_{X_k} E(X_k) = E_{\mathcal{M}}(X_k) + E_{\mathcal{S}_{k-1}}(X_k) \text{ from } X_{k-1}$$




$$E = E_{\mathcal{M}} + E_{\mathcal{S}}$$

[Rabinovich et al 2017]
$$\min_{X_k} E(X_k) = E_{\mathcal{M}}(X_k) + E_{\mathcal{S}_{k-1}}(X_k) \text{ from } X_{k-1}$$



$$E = E_{\mathcal{M}} + E_{\mathcal{S}}$$


[Rabinovich et al 2017]
$$\min_{X_k} E(X_k) = E_{\mathcal{M}}(X_k) + E_{\mathcal{S}_{k-1}}(X_k) \text{ from } X_{k-1}$$



$$E = E_{\mathcal{M}} + E_{\mathcal{S}}$$

[Rabinovich et al 2017]
$$\min_{X_k} E(X_k) = E_{\mathcal{M}}(X_k) + E_{\mathcal{S}_{k-1}}(X_k) \text{ from } X_{k-1}$$

$$S_k = \text{Update}(X_k) \quad \text{from } S_{k-1}$$



$$E = E_{\mathcal{M}} + E_{\mathcal{S}}$$

- Local Update
 - Edge Flip [Zhang et al Müster et al 2015]

$$S_k = \text{Update}(X_k) \quad \text{from } S_{k-1}$$


- Local Update
 - Edge Flip [Zhang et al Mötjer et al 2015]

$$S_k = \text{Update}(X_k) \quad \text{from } S_{k-1}$$





- Local Update
 - Edge Flip


$$S_k = \text{Update}(X_k) \quad \text{from } S_{k-1}$$




- Direct reconstruct
- Coarse










- Direct reconstruct
- Coarse









- Direct reconstruct
- Coarse










- Direct reconstruct
- Coarse











- Direct reconstruct
- Coarse






- Direct reconstruct
- Coarse






- Direct reconstruct
- Coarse






- Direct reconstruct
- Coarse







- Direct reconstruct
- Coarse









Locally Injective Maps



Results




Bijective Maps




Comparisons

Result




Robustness

- Global Parameterization Dataset [Myles et al 2014]
- 119 meshes cut by [Bommes et al. 2009] [Myles et al. 2014]




Robustness

- Global Parameterization Dataset [Myles et al 2014]
- 119 meshes cut by [Bommes et al. 2009] [Myles et al. 2014]









Simplicial Complex Augmentation Framework for Bijective Maps





Simplicial Complex Augmentation Framework for Bijective Maps






Simplicial Complex Augmentation Framework for Bijective Maps



- Same Formulation
- Different Tessellation
 - TetGen [Si 2015]
 - Local Operations [Klinger 2009]


Volume 1


- Same Formulation
- Different Tessellation
 - TetGen [Si 2015]
 - Local Operations [Klinger 2009]





Volume 1


- Same Formulation
- Different Tessellation
 - TetGen [Si 2015]
 - Local Operations [Klinger 2009]
































Locally Injective Maps




Results





Bijective Maps





Comparisons

















[Smith and Schaefer 2015]: 2 hour 20 min









80K faces



80K faces




< 40 min



< 40 min Over 5 days!

< 40 min Over 5 days!

Scalability




• Inherited from SLIM [Rabinovich et al. 2017]

Limitations


Local Minimum

- Valid Initialization
 - Easy in 2D
 - Hard in 3D
- Implementation in 3D
 - Less Efficient
 - More Involved





SCAF: Simplicial Complex Augmentation Framework for Bijective Maps



Efficient







Robust



The authors acknowledge funding from the NSF CAREER awards IIS-1652515 and IIS- 1148976, and a gift from Adobe. We would like to thank Michael Rabinovich and Roi Poranne for providing the source code and Lucy models for [Rabinovich et al. 2017], Leonardo Sacht for providing the source code and Leg model for [Sacht et al. 2013], and the anonymous reviewers for their insightful comments and suggestions.



https://github.com/jiangzhongshi/scaffold-map