



Stitch Meshes for Knitting Design

Kui Wu

MIT


Knitting has a long history



Sock in Ancient Egypt
200 - 400 CE
From: the British Museum



Madonna Knitting
by Bertram of Minden
1400 - 1410



Life magazine's cover story
November 24, 1941

Knitting is everywhere




Paris Fashion Week, Fall/Winter 2016/17

Why knitting?



Stretchable



Composite material





Pattern -> microstructure




Geometric Structure



Geometric Structure



Geometric Structure



Various Knitting Patterns & Shapes





SIGGRAPH

Knittable Stitch Meshes

Kui Wu Hannah Swan Cem Yuksel

University of Utah



Stitch Meshes


[Yuksel et al. '12]



Knittable Stitch Mesh



Stitch meshes




Knitted results

Stitch Meshes

[Yuksel et al. '12]




Yarn Loop






Stitch Meshes

[Yuksel et al. '12]



Stitch Meshes


[Yuksel et al. '12]




Yarn Loop

Stitch Meshes

[Yuksel et al. '12]




Stitch mesh face



Stitch

Stitch Meshes

[Yuksel et al. '12]




Stitch mesh face




Edge labels

Stitch Meshes

[Yuksel et al. '12]



Stitch mesh face




Patch

Stitch Meshes


[Yuksel et al. '12]

Stitch meshes provide a practical way of modeling knitted structure




Stitch Meshes

[Yuksel et al. '12]



Stitch Meshes


[Yuksel et al. '12]




Openwork Trellis Pattern

Stitch Meshes

[Yuksel et al. '12]



Openwork Trellis Pattern




Input mesh


Knittable Stitch Mesh




Knitted model



Labelled mesh




Stitch mesh




Knittable stitch mesh

Knittable Stitch Mesh




Knittable Stitch Mesh




- Shift-paths
- Short-rows
- Knittable mismatch

Shift-Paths



Shift-Paths




Separated rows
(Unknittable)




Helix progression
(Knittable)



Shift-Paths




Shift-Paths



Shift-Paths





Knittable Mismatched Directions







Knittable Mismatched Directions

Consistent





Mismatched knitting direction





Knittable Mismatched Directions

Consistent






Knittable Mismatched Directions

Consistent




Mismatched knitting direction





Knittable Mismatched Directions

Splitting





Knittable Mismatched Directions

Splitting




Knittable Mismatched Directions

Joining




Knittable Mismatched Directions

Contracting




Knittable Mismatched Directions

Contracting




Knittable Mismatched Directions

Expanding




Knittable Mismatched Directions


Expanding



Results



Short-rows



Short-rows




Short-rows



Short-rows




Short-rows



Short-rows




Short-rows



Short-rows





Short-rows




Short-rows




Short-row face




Short-row + Mismatch



Knittable Stitch Mesh




Knitting Instructions Generation




Knitting Dependency


Regular



Decrease




Short-row




Knitting Dependency


Contracting



Joining




Knitting Instruction Generation




ALGORITHM 1: Generate Knitting Instructions

```
 $Q \leftarrow$  list of first stitches for each yarn piece
while  $Q$  is not empty do
     $s \leftarrow$  the next ready stitch from  $Q$ 
    while true do
        Generate knitting instructions for  $s$ .
        Mark  $s$  as knitted.
         $s_c \leftarrow$  the next stitch after  $s$  along the course direction
        if  $s_c$  exists then
             $s \leftarrow s_c$ 
        else
             $s_w \leftarrow$  the stitch after  $s$  on the next row in wale direction
            if  $s_w$  exists and yarn of  $s_w$  = yarn of  $s$  then
                 $s \leftarrow s_c$ 
            else
                Terminate the yarn piece
                break
        if  $s$  is not ready then
            Enqueue  $s$  into  $Q$ .
            break
```

Hand Knitting Interface



Results



Stitch mesh




Simulated




Knitted

Results



Utah Teapot







Results



Results



Stitch mesh




Simulated



Knitted

Results



Stitch mesh




Simulated




Knitted

Results



Stitch mesh



Simulated




Knitted

Results

GRAPHICS

GRAPHICS

Results




Conclusion

- Knittable stitch mesh framework


Conclusion

- Knittable stitch mesh framework
 - Shift-paths




Conclusion

- Knittable stitch mesh framework
 - Shift-paths
 - Knittable mismatched directions



Conclusion

- Knittable stitch mesh framework
 - Shift-paths
 - Knittable mismatched directions
 - Short-rows





Conclusion

- Knittable stitch mesh framework
 - Shift-paths
 - Knittable mismatched directions
 - Short-rows
- Knitting instruction generation algorithm

Stitch Mesh Modeling Pipeline

- Automatic stitch meshing




Stitch Meshing


Kui Wu, Xifeng Gao, Zachary Ferguson, Daniele Panozzo, Cem Yuksel
Siggraph 2018

Stitch Mesh Modeling Pipeline

- Automatic stitch meshing



- Machine knittable stitch mesh (next talk!)



Visual Knitting Machine Programming

Vidya Narayanan*

Kui Wu*

Cem Yuksel

Jim McCann

* joint first authors




Visual Knitting Machine Programming

Vidya Narayanan*, Kui Wu*,
Cem Yuksel, and James McCann





* joint first authors

Visual Knitting Machine Programming




Fabric constructed using a single yarn (usually)
by forming and intertwining *loops*

Visual Knitting Machine Programming





Manufactured using industrial knitting machines
(usually used for garments)

Visual Knitting Machine Programming



What is Machine Knitting?

Knitting Machine Layout



Basic Machine Operations


tuck



xfer



knit




rack




Basic Machine Operations

Use *xfer* and *rack* to move loops between needles




Solutions for machine knitting

Customization




Solutions for machine knitting : low-level languages

Customization




Solutions for machine knitting : low-level languages

Customization




Solutions for machine knitting : ready-made designs

Customization




Solutions for machine knitting : templates

Customization



Solutions for machine knitting : higher abstractions

Customization




Solutions for machine knitting

Customization




Solutions for machine knitting

Customization




Solutions for machine knitting

Customization




Solutions for machine knitting


Customization




Visual Knitting Machine Programming



Augmented Stitch Mesh Representation



Interactive Editor




Results


System

Tube Scheduler

Visual Knitting Machine Programming



Augmented Stitch Mesh Representation




System



Results


Stitch meshes for representing machine knittable structures




Stitch Mesh

- + Represented in the output space
- + Potentially intuitive to edit
- Can easily represent unknittable configurations (cycles).
- Machine instructions for fabrication are unknown.

Encoding dependencies with edge directions




Stitch Mesh




Only directed acyclic stitch meshes are valid.

Encoding face programs for construction




+ Represented in the output space
**Decouple what is constructed
from where it is constructed.**
+ Potentially intuitive to edit



- ϵ
- $\text{con} \rightarrow$
- Machine instructions for fabrication are unknown.

Stitch Mesh + Directions


Augmented Stitch meshes for machine knittable structures



- + Represented in the output space
- + Potentially intuitive to edit
- ~~- Can easily represent unknittable configurations (cycles).~~ +directions
- ~~- Machine instructions for fabrication are unknown.~~ +code


Stitch Mesh + Directions + Code = **Augmented Stitch mesh**

Only a small library of face programs needed




Edge labels do not imply face programs

Any compatible face program can be executed within a face.





$\text{knit}(N, Y)$

knit	$+ \text{fN}$	Y
---------------	---------------	------------





$\text{purl}(N, Y)$


xfer	fN	bN
knit	$+ \text{bN}$	Y
xfer	bN	fN



knit xfer



Augmented Stitch Mesh




Augmented Stitch Mesh


Dependency

Knitting Program

Visual Knitting Machine Programming



Augmented Stitch Mesh Representation



Interactive Editor


System



Results


Pipeline of our design system

Input




H

Pipeline of our design system



Knitting time function




A scalar function over the mesh
that defines knitting order


Reeb Graph has an upward
planar embedding \iff
machine knittable

[Narayanan et al. '18]


Pipeline of our design system






Augmented stitch mesh generation





Pipeline of our design system





Yarn Operations





Yarn Operations



Yarn Operations





Yarn Operations





Similar to [Peng et al. 13] for connectivity editing



Yarn Operations





Yarn Operations




Shape Operations





Shape Operations





Type Operations



Cable Face Types




Cable Face Types




Augmented stitch mesh editing

Mesh must remain directed acyclic after performing the edit operation.

Edits must agree with existing edge labels and direction



Valid operations maintain directed acyclic property



Edit operations can introduce a cyclic dependency.


Our system *restricts* such edits but can still *span the space of* knittable stitch meshes of the same surface topology class.

Edits can span the space of knittable shapes


Any valid augmented stitch mesh can be edited into a trivial knittable structure

By a sequence editing operations, any valid knittable surface **in the same surface topology class** can be reached.

Our system can span the space of augmented stitch meshes using our editing operations





Edits can span the space of knittable shapes





Extending face types for multiple yarns


Fair-Isle





Plating




Pipeline of our design system




Scheduling stitches on machine needles



Generating machine locations for face programs



Convert complex faces
into individual stitches




[Narayanan et al. '18]


```
knit f0 +
knit f1 +
knit f2 +
knit f3 +
knit f4 +
knit f5 -
xfer f4 f4
...
```

Interleave face
programs

Optimizing passes by instruction reordering



Pipeline of our design system



All-knits vs textured Stanford bunny

[Narayanan et al. '18]





All knits, automatically generated




Textured with "knits" and
"purls" by manually editing

Visual Knitting Machine Programming



System




(Fabricated on a Shima Seiki V-bed whole-garment machine with 2/30 acrylic yarn)

A Hand-warmer with cables and textures



Knitting ~10 mins

131




Editing ~15 mins

Same mesh w/ multiple styles



Knitting ~35 mins




Editing ~15 mins

Plating an image



Knitting ~20 mins



Editing ~1 mins

Custom accessories

Knitting ~20 mins


Editing ~5 mins




Knitting ~25 mins

Editing ~60 mins


Integrating conductive varn



Visual Knitting Machine Programming




Augmented Stitch Mesh Representation



What can we do next with machine knitting?

Predictive Simulation



[Leaf et al. '18]


[Jiang et al. '17]

[Cirio et al. '14]

[Kaldor et al. '08]


What can we do next with machine knitting?

Predictive Simulation



[Leaf et al. '18]
[Jiang et al. '17]
[Cirio et al. '14]
[Kaldor et al. '08]


Calibration



[Miguel et al. '12]
[Wang et al. '11]


What can we do next with machine knitting?

Predictive Simulation



[Leaf et al. '18]
[Jiang et al. '17]
[Cirio et al. '14]
[Kaldor et al. '08]

Calibration



[Miguel et al. '12]
[Wang et al. '11]



Applications




[Pavko-Čuden et al. '17]
[Knittel et al. '15]
[Alderson et al. '12]
[Hu et al.'11]

What can we do next with machine knitting?

Predictive Simulation



Calibration



Applications

Datasets

<http://db.knit.zone/> [Hofmann et al.'19]

<http://deepknitting.csail.mit.edu/dataset/> [Kasper et al.'19]



contact:
kuiwu@csail.mit.edu

Thank You! Questions ?